



Approx. \$178,000

POURED IN PLACE RUBBER SURFACING
6600 SQ FT
CONCRETE CURB
330 LIN FT



TOTAL ELEVATED PLAY COMPONENTS:	17	REQUIRED:	0
TOTAL ELEVATED PLAY COMPONENTS ACCESSIBLE BY RAMP:	0	REQUIRED:	0
TOTAL ELEVATED PLAY COMPONENTS ACCESSIBLE BY TRANSFER:	17	REQUIRED:	8
TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS SHOWN:	22	REQUIRED:	6
TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS OF DIFFERENT TYPES:	8	REQUIRED:	3

* APPLICABLE ONLY WITH ADA COMPLIANT SURFACING.

PLAY STRUCTURE AND LAYOUT OF THE COMPONENTS CONFORM TO
ASTM F1487-17 AND CPSC #325 GUIDELINES AND CCR TITLE 22,
DIVISION 4 CHAPTER 22.

CRITICAL FALL HEIGHT OF OVERALL PLAY AREA:

PROJECT:

DOLLAHAN ELEMENTARY

RIALTO, CA - PRIMARY

DESIGNED BY:


ALEX BERON
APRIL 29, 2021
DRAWING #
C20122CH

DESIGNED FOR:

AGES
5-12

since 1979
dave bang
associates inc.

park+playground





COLOR PALETTE:



MANUFACTURERS:



PROJECT:

DOLLAHAN ELEMENTARY
RIALTO, CA - PRIMARY

DESIGNED BY:

ALEX BERON
MARCH 2, 2020
DRAWING #
C20122CH

DESIGNED FOR:


AGES
5-12

since 1979
dave bang
associates inc.
park+playground





COLOR PALETTE:



MANUFACTURERS:



PROJECT:

DOLLAHAN ELEMENTARY
RIALTO, CA - PRIMARY

DESIGNED BY:

ALEX BERON
MARCH 2, 2020
DRAWING #
C20122CH

DESIGNED FOR:

AGES
5-12

since 1979
dave bang
associates inc. 
park+playground 